



Set

• For a single sliding door without running track

Item No.
940.40.001

Set Components

	Description	Material	Color/Finish	Qty.	Item No.
	Double roller running gear	-	-	2 pcs.	940.40.012
	Two-way suspension plate, M8 bolt and mounting screws	-	-	2 pcs.	940.40.022
	Floor mounted guide, rattle-free	Plastic	black	1 pc.	940.40.031
	Track stopper with adjustable retention spring	-	-	1 pc.	940.40.041
6	Wall buffer	Rubber	black	1 pc.	940.40.051
	Height adjusting pin	Steel	galvanized	1 pc.	940.40.091

Note

Item numbers are valid only for one piece, when ordering individual components, please state the desired amount. Depending on application an additional track stopper has to be ordered with set. For 2 bi-parting sliding doors, please order 2 sets

Individual Components

	Description	Material	Color/Finish	Length	Item No.
°	Upper tracks, pre-drilled	Aluminum	n clear anodized	1.4 m (4' 7 1/8")	940.40.140
				1.6 m (5' 3")	940.40.160
				1.8 m (5' 10 7/8")	940.40.180
				2 m (6' 6 3/4")	940.40.200
				3 m (9' 10 1/8")	940.40.300
				4 m (13' 1 1/2")	940.40.400
				6 m (19' 8 1/4")	940.40.600
	Guide rail, glue-in type	Plastic	black	1.3 m (4' 3 1/8")	940.41.130

Installation Plan

Confort Guides

HAWA angle profile

Other guide options

HAWA SoundEx bracket

Futura framing kit

(Included in fitting set), mounting instructions for planning and execution available upon request.

Complete Sets

Page 1.160

Page 1.157

Page 1.161

Page 1.158

Pages 1.153-1.155

Door panel width	Track length	Item No.
up to 70 cm (27 9/16")	1.4 m (4' 7 1/8")	407.56.143
up to 80 cm (31 1/2")	1.6 m (5' 3")	407.56.161
up to 90 cm (35 7/16")	1.8 m (5' 10 7/8")	407.56.189
up to 100 cm (39 3/8")	2 m (6' 6 3/4")	407.56.205

Supplied With

Upper track Running gear Two-way suspension plates Track stopper Guide Rubber bumper

Height adjusting pin

Dimensions in mm Inches are approximate