



**Zipbolt**







- Accepts a standard 4 mm or 5 mm hex bit (see below)
- Zipbolt connectors are ideal for use in: countertops, staircase assembly, furniture construction, millwork joinery and more
- Additional Zipbolts are available by request



**Note**  
A variation of bore size of 12.5 – 13 mm for insert screw may be required for hardwoods or when drilling into end grain.



**Note**  
A variation of bore size of 12.5 – 13 mm for insert screw may be required for hardwoods or when drilling into end grain.



**13.500 ST Maxi – UT**

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.873

**11.720 Mini Half Miter – UT**

- (X) Shaft center = 5.5 mm (13/64")
- (M) = Minimum bore depth: 12.5 mm (31/64")
- Requires 4 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.854

**10.500 Draw Bolt – UT**

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.844

**10.600 Draw Bolt – UT**

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.840

**10.700 Draw Bolt – UT**

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.841

**Hex Bit**

- For use with ZIPBOLT – UT

Material: Steel

Dimensions	Item No.
4 x 50	006.37.196
5 x 50	006.37.195

Dimensional data not binding. We reserve the right to alter specifications without notice.

Dimensions in mm  
Inches are approximate